

US008153156B2

(12) United States Patent

(10) Patent No.: US 8,153,156 B2 (45) Date of Patent: Apr. 10, 2012

(54) HYDROGEL NANOCOMPSITES FOR OPHTHALMIC APPLICATIONS

(75) Inventor: Nathan Ravi, Chesterfield, MO (US)

(73) Assignees: The United States of America as
Represented by the Department of
Veteran Affairs, Washington, DC (US);
The Washington University in St.
Louis, St. Louis, MO (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1216 days.

(21) Appl. No.: 10/574,667
(22) PCT Filed: Sep. 3, 2004

(86) PCT No.: **PCT/US2004/028637**

§ 371 (c)(1),

(2), (4) Date: **Apr. 5, 2007**

(87) PCT Pub. No.: WO2005/023331PCT Pub. Date: Mar. 17, 2005

(65) Prior Publication Data

US 2007/0269488 A1 Nov. 22, 2007

Related U.S. Application Data

- (63) Continuation-in-part of application No. 10/706,081, filed on Nov. 13, 2003.
- (60) Provisional application No. 60/499,887, filed on Sep. 4, 2003, provisional application No. 60/564,592, filed on Apr. 23, 2004.
- (51) Int. Cl. A61K 9/14 (2006.01)

(56) References Cited

U.S. PATENT DOCUMENTS

4,537,943 A	8/1985	Talcott
4,892,543 A	1/1990	Turley
4,932,966 A	6/1990	Christie et al.
4,994,082 A	2/1991	Richards et al.
5,089,024 A	2/1992	Christie et al.
5,147,393 A	9/1992	Van Noy et al.
5,158,572 A	10/1992	Nielsen
5,171,266 A	12/1992	Wiley et al.
5,173,723 A	12/1992	Volk
5,192,318 A	3/1993	Schneider et al.
	(Continued)	

OTHER PUBLICATIONS

Wang et al, "Controlled Structure and Properties of Thermorespsonsive Naoparticle-Hydrogel Composites", vol. 10, Issue 13, pp. 1074-1079, Jul. 2004.*

(Continued)

Primary Examiner — Carlos Azpuru (74) Attorney, Agent, or Firm — Gorman Law Offices

(57) ABSTRACT

The present invention relates to reversible hydrogel systems. Particularly, the hydrogel of the present invention is made up of copolymers that can be a hydrogel when in an oxidize state and can be a solution when in a reduced state. A solution of the copolymer can be oxidized to form a hydrogel; and the hydrogel can be reduced to form a solution of the copolymer. Reversible nanogels can also be formed from a dilute solution of the copolymers. The hydrogel is formed with nanoparticles embedded therein to form a nanocomposite whose refractive index and modulus can be controlled by varying the amounts of nanoparticles and the polymer concentration of the hydrogel, respectively.

16 Claims, 12 Drawing Sheets

